

Davison County Auditor

200 East 4th Avenue

Mitchell, SD 57301

Phone: 1-605-995-8608

Fax: 1-605-995-8618

auditor@davisoncounty.org

TO: Board of Adjustment and the Public of Davison County

YOU ARE HEREBY NOTIFIED: Ryan & Amy Storm have applied to the Davison County Board of Adjustment to recommend granting a variance of +/- 17.847 acres, creating a lot size of +/- 7.153 acres, where the minimum lot size is 25 acres for a residence in the Agricultural District. +/- 15', creating a setback of +/- 60' from the residence to the west property line, where the minimum front yard setback is 75', +/- 30', creating a setback of +/- 20' from the grain bins to the south property line, where the minimum side yard setback is 50', & +/- 48', creating a setback of +/- 2' from the shed to the east property line, where the minimum rear yard setback is 50' in the Agricultural District.

This request is pursuant to Sections 3:07, 3:08(1)(a), 3:08(1)(b), & 3:08(1)(c) of the Davison County Zoning Ordinance as adopted on 4/1/98 and as subsequently amended. The property is currently legally described as NW1/4 of Section 23, T 101 N, R 62, West of the 5th P.M., Davison County, South Dakota, less H-1. If approved, the new parcel will be legally described as Tract 1 of Ryan's Addition, in the NW1/4 of the NW1/4 of Section 23, T 101 N, R 62, West of the 5th P.M., Davison County, South Dakota.

YOU ARE HEREBY NOTIFIED: The Davison County Board of Adjustment will hold a public hearing on the said request on Tuesday, August 11, 2026, at 9:15 A.M., in the Commissioners' Room of the Davison County North Offices, located at 1420 N. Main St., Mitchell, SD 57301.

All interested parties may be present and be heard on said request, either in person or by an agent. Written comments will be accepted until 5:00 P.M. on Monday, August 10, 2026, in the Davison County Planning & Zoning's office.

Dated the 1st day of August 2026.

Kathy Wingert
Davison County Auditor
605-995-8608

Published once at the total approximate cost of \$_____